

QUARRY PROJECT OF
M/s. EVEREST STONE & GRANITES

SURVEY NO. : 4 (P)
EXTENT : 4.90 hectares
VILLAGE : ERUVESI
TALUK : THALIPARAMBU
DISTRICT : KANNUR
STATE : KERALA

1st COMPLIANCE REPORT

Ref: EC. No: 83/2017 (File No: 709/SEIAA/KL/5786/2014)

DATED: 21/11/2017

FOR THE PERIOD UP TO

MAY 2018

TABLE OF CONTENTS

ITEM NUMBER	DESCRIPTION	PAGE NUMBER
I	About The Proponent	
II	About The Project	
	Project Category	
	Project Location	
	Project Extent And Activity	
	Project Description	
III	Report Of Compliance	
	Compliance Of Specific Condition	
	Compliance Of General Condition	
IV	a. Drilling	
	b. Blasting	
	c. Details of Environment Monitoring cell members	
	d. List of Trees in the quarry site	
V	Plates	
	Plate 1- Natural vegetation in the sides of approach road	
	Plate 2- Natural vegetation in the project area	
	Plate 3- Benches in the project area	
	Plate 4- Top soil dump yard	
	Plate 5- Environmental clearance prominently displayed in a metallic board	
	Plate 6- Rest room for workers	
	Plate 7- Explosive Magazine	
	Plate 8- Tarred road	
	Plate 9- Boundary Pillars	
Plate 10- Drainage		

VI	Annexures	
	Annexure 1 – Affidavit for eco-restoration	
	Annexure 2 – Explosive License	
	Annexure 3 – Pollution certificate	
	Annexure 4 – Panchayath License	
	Annexure 5 – Affidavit for EC Conditions	
	Annexure 6 – Mine Forman's Certificate	
	Annexure 7 – Mining Mate's Certificate	
	Annexure 8 – FORM D	
	Annexure 9 – Corporate Social Responsibility	
	Annexure 10 – EC Advertisement in Newspaper	

I. ABOUT THE PROPONENT

Mr. K.C. James, Managing Partner & Authorized signatory of M/s Everest stone & Granites having correspondence office at MT-89-V-Highway Arcade, Kannur, Kerala - 670002.

State Environment Impact Assessment authority (SEIAA) accorded Environmental Clearance No: 83/2017 (File No: 709/SEIAA/KL/5786/2014) Dated: 21/11/2017 to the quarry project in Eruvessi Village, Thaliparambu Taluk, Kannur District, Kerala State, managed by Mr. K.C. James, Managing Partner & Authorized signatory of M/s Everest stone & Granites having correspondence office at MT-89-V-Highway Arcade, Kannur, Kerala - 670002.

II. ABOUT THE PROJECT

a. Project Category:

The project comes under the Category B2, Activity 1(a), (i) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project Location:

Survey No 4 (P) of Eruvessi Village, Thaliparambu Taluk, Kannur District, Kerala.

The proposed project site falls within latitude and longitude value:

Latitude (N)	12° 07' 23.2" N to 12° 07' 35.5" N
Longitude (E)	75° 34' 28.1" E to 75° 34' 36.7" E

c. Project Extent And Activity:

The project is for quarrying of 1,000 TPD of building stone from an area of 4.90 hectares of land located as specified above.

d. Project Description:

The project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be fully reclaimed and rehabilitated by plantation. The project does not involve any underground mining activities. The mining is done by open cast semi mechanized method.

III. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

ITEM NO	STIPULATIONS IN EC	STATUS OF COMPLIANCE	REMARKS
S-1	Fencing should be provided around the site.	The site will be fenced around with barbed wires.	
S-2	The mining area should be clearly marked.	The mining area is clearly marked.	
S-3	The debris and overburden seen in the area shall be stored at a designated site.	The debris and overburden seen in the area is stored at a designated site.	
S-4	Drainage should be properly provided.	Drainage is provided.	PLATE - 10
S-5	If any plant species endemic to Western Ghats are noticed in the area they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area	A separate plot is set apart for preserving rare plants in the vicinity.	

B. GENERAL CONDITIONS

Item No	Stipulations in EC	Status of Compliance	Remarks
G-1	Rain Water Harvesting facility should be installed as per the prevailing Provisions of KMBR/KPBR, unless otherwise specified.	Would be provided.	
G-2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	An Environment Monitoring Cell is constituted and made functional	INDEX IV.c
G-3	Suitable avenue trees should be planted along either side of tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees by way of natural vegetation are present along either side of the tarred road, both approach road and internal road.	PLATE-1
G-4	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	The working of the quarry is only in day time. So we will arranged few solar devices in the office for general purpose.	
G-5	Sprinklers shall be installed and used in the project site to contain dust emissions.	Sprinklers are used in the project site to contain dust emissions. The haulage road is provided with stationary sprinklers also to avoid dust emission.	
G-6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	It is assured that eco-restoration including the mine closure plan will be done at the own cost of the project proponent.	Affidavit is submitted as Proof. ANNEXURE 1
G-7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly. If, no other specific condition on reclamation of pit is stipulated in the E.C	At the time of the closure of the mine, it shall be ensured that the directions contained are scrupulously followed.	
G-8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.	Activities towards Corporate Social Responsibility are being implemented.	ANNEXURE-9
G-9	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	The total mining area has been covered by barbed wire fencing to avoid inadvertent entry of human being and also for falling of animals etc.	
G-10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per Stipulations of Explosive Department.	The warning alarms are provided and also the blasters assistant will check the surroundings of the blasting area before the blasting is started to prevent the entry of humans and animals to the blasting zone.	

G-11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Scrupulously follows the directions contained.	
G-12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Quarrying activities is limited as per KPSCB guidelines.	
G-13	Blasting should be done in a controlled manner as specified by the regulation of explosives Department or any other concerned agency.	Scrupulously follows the directions contained.	ANNEXURE 2
G-14	A licensed person should supervise/control the blasting operations.	Scrupulously follows the directions contained. Licensed persons for supervising the blasting and other operations in the site is implemented.	ANNEXURE 6 & 7
G-15	Access roads to quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	The access road to the site is maintained well and sprinkled with water to avoid dust generation during transportation of minerals.	PLATE-8
G-16	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific conditions.	Overburden is stacked in pre-determined site specified for the purpose.	
G-17	Height of benches should not exceed 5 m and width should not be less than 5 m if there is no mention in the mining plan/specific conditions.	Height of the bench is always maintained below 5m and width of the bench is kept at 10-15m for the easy movement of excavators and trucks.	PLATE-3
G-18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Would be provided.	
G-19	Maximum depth of mining from general ground level at site shall not exceed 10m.	Maximum depth of the mining is limited as per the conditions.	
G-20	Non mining operations should be carried out at places having a slope greater than 45°.	It is ensured that no mining is carried out at places having slope greater than 45°.	
G-21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided for the existing crusher unit as prescribed standards given by CPCB/KSPCB.	
G-22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site is would be provided with the required protective equipment such as ear muffs, helmet, etc in the time of starting of work.	
G-23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Drainage facility is provided in the site.	
G-24	The transportation of minerals should be done in covered trucks to contain dust emissions.	The transportation of minerals are done in covered trucks.	
G-25	The proponent should plant trees at least 5	Saplings are planted.	

	times of the loss that has been occurred while clearing the land for the project.		
G-26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Disposal of spent oil from diesel engines is done under relevant Rules/Regulations.	
G-27	Explosives should be stored in magazines in isolated place specified and approved by Explosive Department.	Explosives are stored in magazines in isolated place.	PLATE-7
G-28	A Minimum buffer distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structure not being any facility for mining shall be provided.	Scrupulously follows the directions contained.	
G-29	100 m buffer distance should be maintained from forest boundaries.	Statutory safe distance shall be maintained without fail.	
G-30	Consent from Kerala State Pollution, Control Board under Water and Air (Acts) should have been obtained before initiating mining activity.	Consent issued from Kerala state pollution control board (file no: PCB/KNR/ICO/1965/2007 dated 06/12/2017 Valid up to 30/11/2020)	Certificate copy is submitted as Proof. ANNEXURE 3
G-31	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	All the required statutory clearances have been obtained from the respective authorities. And all the copies are attached.	
G-32	In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/ impacts as assessed, based on which only the EC is issued. The projects would require a fresh appraisal by this authority, for which the proponent shall apply and get the approval of this Authority.	The company shall abide by the directions of SEIAA Kerala in such a context. If arises.	
G-33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act,1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	All the safeguard measures are done as per Environment (Protection) Act, 1986.	
G-34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with including the provisions of Water(Prevention and Control of Pollution)Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Scrupulously follows the directions contained and is reviewed periodically by the management.	

G-35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaakerala.org . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation	Advertisement regarding the obtaining of EC were given in 2 local newspaper and submitted a copy of it as a proof in first compliance report.	ANNEXURE 10
G-36	A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/District Panchayat/ Municipality/ Corporation/ Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental clearance shall also be put on the website of the company by the proponent.	Scrupulously follows the directions contained. Copy of the EC is submitted to the concerned panchayath.	
G-37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC Conditions including results of monitored data (both in hard copies as well as by email) and upload the Status of compliance of the stipulated EC conditions, including results of monitored data on their website. It shall simultaneously be Sent to the respective Regional office of MoEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) Office	Conditions are being complied with. This report is in compliance with submission of six monthly compliance reports.	
G-38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	The conditions of Environmental Clearance are prominently displayed in a metallic board.	PLATE - 5
G-39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	The proponent has provided notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC has	Affidavit is submitted as Proof. ANNEXURE 5


		been scrupulously followed.	
G-40	No change in mining technology and scope of working should be made without prior approval of the SEIAA , No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.	Scrupulously follows the directions contained.	
G-41	The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	Ensured that no natural water course and/or water resources were obstructed due to any mining operations.	
G-42	Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points & transfer point to reduce fugitive emissions.	We are scrupulously following the directions contained as per the conditions from Pollution Control Board.	
G-43	The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dumpsite(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of dumps shall be maintained to 45 ⁰ .The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface runoff. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.	The temporarily stored top soil only used for land reclamation and plantation process.and ensured that the maximum height of the dumps shall not exceed 8m and width 20m and overall slope of dumps shall be maintained to 45 ⁰ . The OB dumps are scientifically vegetated with suitable native species to prevent erosion and surface runoff. The entire excavated area will be backfilled. Monitoring and management of rehabilitated areas will continue until the vegetation becomes self-sustaining.	PLATE -4
G-44	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly in to the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green development etc. The drains shall be regularly de silted particularly after monsoon and maintained properly.	Catch drains and siltation ponds of appropriate size will be constructed around the mineral dumps. The water so collected will be used according to the directions of SEIAA.	
G-45	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer	Scrupulously follows the directions contained and ensured that the	

	points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	
G-46	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained	There is a regular control on dust emission sources. Water spraying arrangements are properly maintained.	
G-47	Measures should be taken for control of noise levels below 85dBA in the work environment.	Measures have been taken for the control of noise levels below 85dBA in the work environment.	
G-48	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	A separate environmental management cell with suitable qualified personnel has been set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	
G-49	The funds earmarked for environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purposes. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	The funds earmarked for environmental protection measures and CSR activities are being kept in separate account and have not been diverted for other purposes. Year wise expenditure will be reported to the State Environment Impact Assessment Authority (SEIAA) office.	ANNEXURE 9
G-50	The Regional office of MOEF &CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	The Regional office of MOEF &CC located at Bangalore can monitor compliance of the stipulated conditions any time. The project authorities will extend full cooperation to the officer(S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	
G-51	Any appeal against this Environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act , 2010.	There is no appeal against EC and we are strictly following the rules and Scrupulously follows the directions contained.	
G-52	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986	Strictly follow the rules, if any factual data is concealed or false/fabricated data is submitted and failure to comply with any of the conditions mentioned above is found.	
G-53	The SEIAA may revoke or suspend the order, for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA	SEIAA can revoke any order if any of the specific or this implementation of any of the above conditions is not satisfactory.	

	reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.		
G-54	The above conditions shall prevail not notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license or consent given by any other authority for the same project.	Yes, all the above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license or consent given by any other authority for the same project.	
G-55	This order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	Yes, this order is valid for a period of 5 years or the expiry date of mine lease period issued by the Government of Kerala, whichever is earlier.	
G-56	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	Yes, the Environmental Clearance is subjected to the final order of the courts in any pending litigation related to the land or project, in any court of law.	
G-57	The mining operation shall be restricted to above ground water table and it should not intersect ground water table.	The mining operation has been restricted to above ground water table and it will not intersect ground water table.	
G-58	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be inside the lease area.	Scrupulously follows the directions contained.	
G-59	Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.	Scrupulously follows the directions contained.	
G-60	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area will be carried out and reported in the six monthly reports to SEIAA .	
G-61	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance program of the workers will be done periodically to observe any contractions due to exposure to dust and corrective measures will be taken, if needed.	

IV.a. DRILLING

The excavation of mineral is proposed by excavators. The mineral is fractured and easily exploitable by rock breakers and excavators. The hard strata are proposed to excavate after drilling and blasting. The cross-sectional view of drilling operations is shown below:-



Salient features of drilling

- About 30 to 50 holes per blast of 32 mm dia and to a depth of 2 to 2.5m will be adopted.
- It is estimated about 2 to 3 T production per hole.
- Number of blasts per day depends upon the workable area and production to be achieved.
- The spacing of 1.0 to 1.5m between the holes will be adopted.
- About 250g per hole of explosive will be used. However, 10 kg/blast will be adopted at any point of time.
- Millisecond electric blasting will be adopted to limit the PPV and Noise levels within the stipulated standards.

IV.b. BLASTING

The controlled blasting is proposed by adopting all the safety measures as per “MMR 1961” and with the permission of DGMS.

In this area for fragmentation of granite the blasting will be conducted. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32 mm drill rod, Jack Hammer and Air Compressor of 100 cfm capacity.

It is estimated about 250 g of explosives per hole is required. About 30 – 50 holes per blast are proposed. Therefore, the requirement of explosives will be about 10 kg/ blast.

2.6.6.1 BLASTING SAFEGUARD

- Blasting in the open cast pits will be done only during day time at designated hours.
- Only competent blasters will be appointed to handle explosive.
- Explosives will be stored in approved and licensed magazine as per Explosive Act/ Rules.
- Explosives will be brought from magazine to blasting site in licensed Explosive Van under the care of blaster.
- Sufficient warning signals will be given before blasting the holes.
- Guards will be posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during blasting hour.
- Controlled blasting will be practiced to control vibrations and flying fragments.
- Optimum charge will be used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay will always be less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

IV.c.DETAILS OF ENVIRONMENTAL MONITORING CELL

An environmental monitoring cell was formed with Mr. K.C. James head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental clearance order. The details of the monitoring cell members are given below:-

Sl. No.	Post	Name
1	Head of the monitoring cell	Mr.K.C. James (Managing Partner)
2	Head in charge (Environment)	Mr. Fedrine Jose
3	Senior Environmental Officer	Mr. Benny
4	Environmental Officer	Mr. Toby
5	Name of the environmental officer in charge	Mr. Santhosh
6	Name of the officer Environment, Health and safety	Mr. Linto
7	Name of the Assistant Officer of Environment,Health and safety	Mr. Rince
8	Name of the environmental consultant	GEC Mining Solutions

IV.d. LIST OF TREES IN THE QUARRY SITE

Natural vegetation including trees, shrubs and herbs present in the quarry site are mentioned in the table below:-

Sl No.	Scientific Name	Common Name	Family
1	<i>Hevea brasiliensis</i>	Rubber	Euphorbiaceae
2	<i>Magnifera indica</i>	Mango tree	Anacardiaceae
3	<i>Macaranga peltata</i>	Vatta	Euphorbiaceae
4	<i>Cocos nucifera</i>	Coconut Tree	Arecaceae
5	<i>Borassus flabellifer</i>	Palm	Arecaceae

V. PLATES

Plate -1

Photographs showing natural vegetation in the approach sides of roads



Plate -2

Photographs showing natural vegetation in the project area



Plate -3

Benches in the project area



Plate -4

Photograph showing Top soil Dump yard



Plate -5

Photograph showing details of the environmental clearance prominently displayed in a metallic board



Plate -6

Rest room for Workers



Plate -7

Explosive magazine



Plate -8

Tarred Road



Plate -9

Boundary Pillar



Plate -10

Drainage



ANNEXURE 1

**AFFIDAVIT FOR ECO-
RESTORATION**

ANNEXURE 2

EXPLOSIVE LICENSE

LICENCE FORM LE-3
(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

Licence to possess : (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7 in a magazine

Licence No. : E/SC/KL/22/1226(E45033)
Annual Fee Rs.2400/-



1. Licence is hereby granted to : **Shri K.C.James Managing Partner (Occupier : Shri K.C.James, Managing Partner)**
M/s. Everest Stone Crusher & Granites, MT-89-V, Highway Arcade, Thatta, Konour, Town/Village - Thana
District-KANNUR, State-Kerala, Pincode - 670002
2. Status of licensee : **Partnership Firm**
3. Licence is valid only for the following purpose : possess for use of **Nitrate mixture - Slurry and Emulsion Explosives, Safety Fuse, Electric Detonators, Ordinary Detonator**.
4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate mixture - Slurry and Emulsion Explosives	2,0	0	100 Kg.
2.	Safety Fuse	6,1	0	2000 Mtrs
3.	Electric Detonators	6,3	0	1500 Nos.
4.	Ordinary Detonator	6,3	0	1500 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : **10 times as above.**

5. The licensed premises shall conform to the following drawing(s):
Drawing No : E/SC/KL/22/1226(E45033) dated : 11/05/2011
6. The licensed premises are situated at following address:
Survey No(s). 4, Town/Village : Eruvessy village, taliparamba taluk
Police Station : Kudiyamala
PinCode : 670602 Phone : 9961660331 District : KANNUR State : Kerala
E-Mail : Fax :
7. The licensed premises consist of following facilities : **portable explosives magazine of D and E type manufactured by thekkans engg and fabrication unit cochin**
8. The licensee is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.
(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.
(3) Distance Form DE-2
9. This licence shall remain valid till **31st day of March 2015**

This licensee is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 11/05/2011

Sd/-
Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 10/10/2013
- Transfers :
- Change in Licensee Name/Address/Status dated : 22/07/2013

Endorsement for renewal of licence:

Date of Renewal

Date of Expiry

Signature of licensing authority

08/04/2015

31/03/2019

Dy. Chief Controller of Explosives, Ernakulam
For Deputy Chief Controller of Explosives
Ernakulam

ANNEXURE 3

POLLUTION

CERTIFICATE



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/KNR/ICO/1965/2007

Date of issue :2017-12-06

CONSENT VARIATION ORDER

Consent No : PCB/KNR/ICO-R/7/2016

Ref : 1. Consent no. PCB/KNR/ICO/205/2014 dated 16/05/2014

2. Consent no. PCB/KNR/ICO-R/7/2016 dated 06/01/2016

3. Your application dated 05/12/2017

The ' Integrated Consent to Operate' issued as per reference above to M/s QUARRY OWNED BY EVEREST STONE CRUSHER & GRANITES, ERUVASSY, KAYALAMPARA P. O., KANNUR DT - 670632 is hereby modified & issued to M/s QUARRY OWNED BY EVEREST STONE CRUSHER & GRANITES, ERUVASSY, KAYALAMPARA P. O., KANNUR DT - 670632 The consent(s)/ variation order(s) cited under reference are integral part of this consent variation order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	1.12 ANNUAL FEE	Rs. 12000/-
2	1.13 FEE REMITTED	Rs. 36000/-
3	1.16 ACTIVITY	QUARRYING IN 4.9 HECTARES
4	1.1 VALIDITY	30/11/2020
5	1.14 CAPITAL INVESTMENT	74.61 LAKHS

II. CONDITIONS

2.2 This consent is valid upto 30/11/2020. For continuing to operate beyond the validity date application for the renewal has to be submitted through online (website: krocmms.nic.in) before 31/08/2020.

3.2 Deleted

3.3 Deleted

4.1 Deleted

4.3 Deleted

4.4 Deleted

4.6 There shall be a minimum distance of 50 m from the boundary of the quarry to the nearest residence, places of worship, railway line, bridge, water body, public building and public road having vehicular traffic.

4.13 Deleted

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

KRISHNAN M N Digitally signed by KRISHNAN M N
Date: 2017.12.06 11:07:20 +05'30'

DATE :06/12/2017

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER




To

K. C. JAMES, MANAGING PARTNER, EVERST STONE CRUSHER & GRANITES, MT 89 V,
HIGHWAY ARCADE, KANNUR DT - 670002

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in “Consent Granted Applications” link in the home page of the Board’s Online Consent Management and Monitoring System.


District : Kannur
Taluk : Thaliparamb
Village : Kannur

Re. Sq. No. : 4 pt.
Total Area-13.454Hector
Mining Area: 4.9 Ha
Scale : 1cm = 24m



hand owners - Managing Partners and partners,
Everest Stone Crushers and Ceramiles

→ *signed to send*
B OFFICER
JEWELL Office.
John P. O.
11-670 632



VILLAGE OFFICER
ERUVESSTY
Chempur P. O.
Kannur - 670 674

25 MAY

~~ADDL. TAHSILDAR~~

ANNEXURE 4

PANCHAYATH LICENSE



ലൈസൻസ് നമ്പർ: 12/2018-19

തീയതി 13/4/2018

1994 බෙ කෙරෙහා පෙන්වායෙන් රාජ් අරුකු (1994 බෙ 13) 232, 233, 234, 254 මුණ්ඩා

വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു നൽകുന്ന

ഡി & ഓ ലൈസൻസ്

വൈസൻസിയുടെ പേരും മേൽവിലാസവും	രക്കാ. കുമിളൻ രജേഷ്വരൻ എൻ.കുമാർ രാജകുമാർ സെന്റാം കേരള ട്രാൻസ്ഫോർമ്മർ						
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	രാജകുമാർ സെന്റാം കേരള ട്രാൻസ്ഫോർമ്മർ						
വൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ വന്മാ ട്രാൻസ്ഫോർമ്മർ						
കെട്ടിടത്തിന്റെ നമ്പറും വാർഡ് നമ്പറും	EP III സ്വദേശി വില്ലേജ് റ.സ്. നമ്പർ 4 4.9 റൂഫ്റ്റർ തബനിൽക്ക് സ്ഥാപിച്ചിരിയിലും						
വൈസൻസ് കാലയളവ്	13/4/2018മുതൽ 31/3/2019വരെ						
ഇടാക്കിയ വൈസൻസ് ഫീസ്	<table border="1"> <tr> <td>രസീത് നമ്പർ</td> <td></td> </tr> <tr> <td>5000രൂപ</td> <td>117060105484</td> </tr> <tr> <td></td> <td>28/2/18</td> </tr> </table>	രസീത് നമ്പർ		5000രൂപ	117060105484		28/2/18
രസീത് നമ്പർ							
5000രൂപ	117060105484						
	28/2/18						
വൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്കേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരമാം)	<p>1. കേരള സംസ്ഥാന ട്രാൻസ്ഫോർമ്മർ കോർപ്പറേഷൻ PCB/KNR/100/1965/2007 നമ്പർ നാമനാഡി പരിപാലന ബന്ധപ്പെട്ടതും നാലു വർഷം പാർപ്പിച്ചു കൊണ്ട് കുറഞ്ഞ വർഷം കുറഞ്ഞ കോർപ്പറേഷൻ റാം റൂഫ്റ്റർ സ്വദേശി വില്ലേജ് കേരള ട്രാൻസ്ഫോർമ്മർ കോർപ്പറേഷൻ പാർപ്പിച്ചു.</p> <p>2. റാബറിൽ + കീലുള്ളി വഴുവ് സാന്തോഷ നാമനാഡി വൈസൻസ് ട്രാൻസ്ഫോർമ്മർ കോർപ്പറേഷൻ പാർപ്പിച്ചു.</p> <p>3. റാബറിൽ റാബർ സ്വദേശി വില്ലേജ് കേരള ട്രാൻസ്ഫോർമ്മർ കോർപ്പറേഷൻ പാർപ്പിച്ചു.</p> <p>4. റാബറിൽ റാബർ സ്വദേ�ി വില്ലേജ് കേരള ട്രാൻസ്ഫോർമ്മർ കോർപ്പറേഷൻ പാർപ്പിച്ചു.</p> <p>5. സ്കോട്ട് റാബർ സ്വദേ�ി വില്ലേജ് കേരള ട്രാൻസ്ഫോർമ്മർ കോർപ്പറേഷൻ പാർപ്പിച്ചു. സ്കോട്ട് റാബർ 21/1/17 ക്രീഡിറ്റ് റാബർ സ്കോട്ട് റാബർ 1/1/17 ക്രീഡിറ്റ്</p>						



Chamakulam
Rajesh, K.K
Chamakulam
Secretary
Eruvessy Gramapanchayat
Chemperi, P.O, Kannur - 670632
Ph: 9496049056

1. കേരള പഞ്ചായത്ത് രാജ് ആട്ടും അതേ തുടർന്നുള്ള പട്ടണങ്ങളും ബേബലകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തിയികാരികൾക്കേക്കും സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥരക്കും പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
3. എത്ത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണാതക്ക വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പറും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പെടുത്തുന്നതാണ്.
4. പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
5. തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗങ്ങൾക്ക് ഉണ്ടാകാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ക്ഷേമപദ്ധതികൾ ഇത്തു, അണ്ണുകൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സുക്ഷിക്കേണ്ടതാണ്.
6. ഓരോ പ്രവർത്തി ദിവസത്തിന്റെയും ടെടുവിൽ സ്ഥലം വ്യതിയാക്കേണ്ടതാണ്.
7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നികേഷപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവരോ, മുഖങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച്, സെക്രട്ടറിക്ക് തുപ്പതികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
8. ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള തരയും നടപ്പായയും അവിടെ തെരിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ഭാവകമോ, മാലിന്യമോ, ചപ്പുചവരോ, അസഹ്യവും, ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തന്ത്രങ്ങളെല്ലാം ഏപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
9. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുകുജലം കളയുന്നതിനുള്ള ഉപകരണവും ഏപ്പോഴും നന്നായി കേടുപാടുതീർത്ത് വയ്പിക്കേണ്ടതാണ്.
10. അധികാരിക്കുന്ന കടകളുടെ ലൈസൻസ് റെബേഫയുന്നതാണ്.
11. ഏതെങ്കിലും തരഞ്ഞെടുപ്പുള്ള തരകൾ രോഗമോ കുഷ്ഠം രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള ധാതരാരാളും ക്ഷുദ്രം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
12. 40 മെട്രേകാണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റ് നിരോധിത പ്ലാസ്റ്റിക്ക് ഇനങ്ങളും ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
14. 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റിസ്റ്റോറന്റുകൾക്കും ഭോക്കെടുപ്പ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
15. നിരോധിത ഉൽപന്നങ്ങളായ പാന്മസാല, ഗുഡ്സ തുടങ്ങിയവ സംരേച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
16. ബാലവേല അനുവദിക്കാൻ പാടില്ല.
17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലഭ്യതം ഈ ലൈസൻസ് റെബേഫയുള്ളതിന് കാരണമാകാവുന്നതാണ്.

Rajesh, K.K.
ബാലവേല
Secretary

Eruvessy Gramapanchayat
Chempakam, P.O, Kanhur - 670632
Ph: 9496049056

N.B :- ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിയ്ക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് ചെമ്പെടുത്തുന്നതിൽ അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.

ANNEXURE 5

**AFFIDAVIT FOR EC
CONDITIONS**

ANNEXURE 6

MINE FOREMAN'S

CERTIFICATE

Cert No. FR 4239



भारत सरकार/Government of India
खान अधिनियम, 1952/Mines Act, 1952
खनन परीक्षा बोर्ड/Board of Mining Examinations

खान फोरमैन सक्षमता प्रमाण-पत्र

(केवल ओपेनकास्ट खानों तक सीमित)

(Restricted to mines having opencast workings only)

MINE FOREMAN'S CERTIFICATE OF COMPETENCY

(धात्विकीय खान विनियम, 1961 के अन्तर्गत)

(Under the Metalliferous Mines Regulations, 1961)

श्री गुडप्पा एम

सुपुत्र

मनसिंहराव

जिनकी जन्म तिथि

01. 06. 1977

है, को विहित अर्हताएं एवं अनुभव

प्राप्त करने का सन्तोषजनक प्रमाण प्रस्तुत करने एवं सितम्बर, 2011 में आयोजित विहित परीक्षा में उत्तीर्ण होने पर एतद्वारा केवल ओपेनकास्ट धात्विकीय खान के लिए फोरमैन प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 09.04.2012 से प्रभावी है।

Shri Gundappa M

son of Manasingrao

born on 01 st June, 1977

having given satisfactory evidence of

possessing the prescribed qualifications and experience and having passed the examination held in September, 2011 is hereby granted MINE FOREMAN'S CERTIFICATE OF COMPETENCY for metalliferous mine having opencast workings only. This certificate is effective from 09.04.2012

T.M. Shiva Kumar

सचिव

खनन परीक्षा बोर्ड

Secretary
Board of Mining
Examinations

S. M.

अध्यक्ष

खनन परीक्षा बोर्ड

Chairman
Board of Mining
Examinations

TRUE COPY OF THE ORIGINAL
ATTTESTED BY ME

Shiva Kumar
(T.M. SHIVAKUMAR)
ADVOCATE & NOTARY
Sandur Taluk Revenue Area

Signed and Sealed
Date 14.11.2012

373/18



To

Home Address

Village Sandur
 PO Sandur
 Police Station Sandur
 District Bellary,
 State Karnataka

प्रमाणित किया जाता है कि उनकी सक्षम चिकित्सा अधिकारी द्वारा स्वास्थ्य परीक्षा कर खान में कार्य करने के लिए स्वस्थ घोषित किया जाता है।

Certified that he has been examined by qualified medical officer and declared fit for employment in mines.

.....
 examined by qualified Medical Officer
 On 25.04.2017 and declared fit for
 employment in mine. This Certificate is
 valid upto 24.04.2022
 (FIT FOR OPENCAST ONLY)

1 _____ को
 On _____
 examined by qualified Medical Officer
 On 25.04.2017 and declared fit for
 employment in mine. This Certificate is
 valid upto 24.04.2022
 (FIT FOR OPENCAST ONLY)

5 _____ को
 On _____
 Director of Mines Safety, Bellary

7 _____ को
 On _____

9 _____ को
 On _____

2 _____ को
 On _____

4 _____ को
 On _____

6 _____ को
 On _____

8 _____ को
 On _____

10 _____ को
 On _____

TRUE COPY OF THE ORIGINAL
 ATTESTED BY ME

T.M. SHIVAKUMAR
 ADVOCATE & NOTARY
 Sandur Taluk Revenue Area

Prepared by Rattanji

Checked by Mritunjay

Shivakumar
 3/2/18

ANNEXURE 7

MINING MATE'S

CERTIFICATE

Cert No. MR 202/0003



भारत सरकार / Government of India
खान अधिनियम, 1952 / Mines Act, 1952
खनन परीक्षा बोर्ड / Board of Mining Examinations
खनन मेट सक्षमता प्रमाण-पत्र

5094



MINING MATE'S CERTIFICATE OF COMPETENCY

(केवल ओपेनकास्ट खानों तक सीमित)

(Restricted to mines having opencast workings only)

(धात्तिकीय खान विनियम, 1961 के अन्तर्गत)

(Under the Metalliferous Mines Regulations, 1961)

श्री

सुपुत्र

है, को अपनी आयु, स्वरूपता,

सदाचार, साक्षरता और धात्तिकीय खानों में काम करने के विहित अनुभव का सन्तोषजनक प्रमाण प्रस्तुत करने
एवं दिनांक को
केन्द्र पर आयोजित विहित
परीक्षा में उत्तीर्ण होने पर एतद्वारा केवल ओपेनकास्ट खानों तक सीमित मेट सक्षमता प्रमाण-पत्र प्रदान किया
जाता है।

Shri CHANDRASHEKHAPPA KUMBAR

MALLAPPA KUMBAR

born on 01st August 1970(seventy)

son of having given satisfactory evidence of his age,

medical fitness, good character, literacy and prescribed experience of working in metalliferous
mines and having passed the prescribed examination held at MVTC, HGML, HUTTI

centre on 06-06-2009 is hereby granted MINING MATE'S CERTIFICATE OF
COMPETENCY restricted to mines having opencast workings only.



बाएं हाथ के अंगुठे का निशान
Left hand thumb impression

अंचल सचिव
खनन परीक्षा बोर्ड
Zonal Secretary
Board of Mining
Examinations

Signed and Sealed
Date



V.K. GEORGE
ADVOCATE & NOTARY
ROLL No. K. 1077/94
SUPEX CORNER
Nr. TRAINING SCHOOL
S.R.O.ROAD, KANNUR-2
MOB: 9447448901

अध्यक्ष
खनन परीक्षा बोर्ड
Chairman
Board of Mining
Examinations

Certified that this is a true copy of the
original issued as Sl. No 57/18 in Vol. 3
of my Notary Register. Stamp worth Rs. 10/-
is filed.

5/3/18

5/3/18

अध्यक्ष

MR

To CHANDRASEKAPPA
KUMBAR
S/O MALLAPPA KUMBAR
O/O KELASARA
KUMARASWAMY
8TH WARD, SANDUR:POST
BELLARY 583119
KARNATAKA

Home Address

Village BANGARAGUND
PO HUNAKUNTI
Police Station MUDDEKHAL
District BIJAPUR
State KARNATAKA

प्रमाणित किया जाता है कि उनकी सक्षम चिकित्सा अधिकारी द्वारा स्वारथ परीक्षा कर खान में कार्य करने के लिए स्वरथ घोषित किया जाता है।

Certified that he has been examined by qualified medical officer and declared fit for employment in mines.

13.04.2014

1 On 12.04.2012 को

2 On को

② 13.04.2014

3 On 12.04.2017 वाली तिथि को
15.02.2020

4 On को

5 On को

6 On को

को

8 On को

9 On को

10 On को

V.K. GEORGE

ADVOCATE & NOTARY

ROLL No. K 107794

SUPEX CORNER

Nr. TRAINING SCHOOL

S.R.O.ROAD, KANNUR-2

MOB: 9447448901

Prepared by

Checked by



ANNEXURE 8

FORM D

THE KERALA MINOR MINERAL CONCESSION RULES , 2015

FORM D

(See clause (a) of Rule 10)

NOTICE

1. (a) Name of mine : EVEREST STONE CRUSHR & GRANITES
(b) Name of minerals : Granite Building Stone
(c) Situation of mine (Survey Number, Village, Taluk, District, State) : Re-Sy No 4 pt Eruvessi Village, Iritty Taluk Kannur Dist, Kerala
(d) Date when work was first started : 08 Mar 2018
2. (a) Name and postal address of present owner(s) : K C James, Managing Partner
Everest Stone Crusher & Granites, MT-89-V, Highway Arcade, Kannur-2
(b) Name of postal address of agent, if any : NA
3. (a) Name of postal address of manager if any : GUNDAPPA M, S/o Manasingroa
Sandur Village & PS
Bellary Dist, Karnataka
(b) His age : 40
(c) His qualification : Mine Foreman
(d) His experience in mining : 5 Years
4. Whether working are likely to be extended below ground : Above ground
5. (a) Maximum depth of open cast excavation measured from highest to it's lowest point : 4 Meters
(b) Date when depth first exceeded 6 meters : Above ground
6. (a) Nature, amount and kind of explosive used if any : Nitrate Mixture (2.0) - 25Kg
Electric Detonators (6.3)- 100 Nos
(b) Date when explosive were first used : 08 Mar 2018

Date: 08/03/2018

Signature of Owner/Agent/Manager

Managing Partner

To be sent to :-

1. The Deputy Director General, Directorate General of Mine Safety, Southern Zone, Bangalore-560 029
2. The Regional Controller of Mine, Yeshwantpur, Bengaluru-560022
3. The District Magistrate of Kannur, Kerala-670 002
4. The District Geologist, Kannur, Kerala-670 002

ANNEXURE 9

**CORPORATE SOCIAL
RESPONSIBILITY**

RECEIPT

Received Rs. 25,000/- (Rupees twenty five thousand only) from M/s Everest Stone Crusher & Granites, Midilakayam, Chemperi towards financial aid for House Repair by Smt. Bindu Sathiyan, Thakalkal House, Kayalampara PO Chemperi Via, Kannur.

Date : 06-09-2014

Received by



Place : Chemperi

Bindu Sathiyan

Witness :-

09745657522

1. Gomgadkaran v G. G.

2. Benny ICA Benny

RECEIPT

Received cheque for Rs 20,000/- (Ch no.614480 dtd.11-06-2014) from M/s Everest Stone Crusher & Granites ,Midilakayam,Chemperi,towards financial aid for Plus 2 education fee of Kumari Susmi Baby (daughter of Mr P C Baby) , residing at Panachikal house, Chemperi.

Place: Kannur

Date: 11-06-2014

Witness:

Dr. Vineetha S S

Dr. Vineetha S S

Received by

Bindu GMB



P C BABY

Mob : 9495614675

RECEIPT

Received Rs. 25,000/- (Rupees twenty five thousand only) from M/s Everest Stone Crusher & Granites, Midilakayam, Chemperi towards financial aid for House Repair by Smt. Sijee KA, Pallithil Paravil House, Kuniyam Puzha PO Chemperi Via, Kannur.

Date : 04-09-2014

Received by

Place : Chemperi

Sijee KA



Witness :-

08381717601

1. Gangotharanam V G +

2. Benny KA Benny

RECEIPT

Received Rs. 25,000/- (Rupees twenty five thousand only) from M/s Everest Stone Crusher & Granites, Midilakayam, Chemperi towards financial aid for Education by Master. Abin P.A, S/O Joseph P A, Puthanpurakal Home, Kuniyummuzha (PO), Chemperi Via, Kannur.

Date : 28-08-14

Received by

Place : Chemperi

Abin P.A



Witness :-

09947962798

1. Gangotharanam V G +

2. Benny KA Benny

RECEIPT

Received Rs. 50,000/- (Rupees fifty thousand only) from M/s Everest Stone Crusher & Granites, Midilakayam, Chemperi towards financial aid for House Building by Sri. Baby K, Kavanady House, Kayalampara PO Chemperi Via, Kannur.

Date : 12-10-2016

Received by

Place : Chemperi

Baby K



Witness :-

09400864693

1. Gomgadhanan v ~~G~~

2. Benny KA Benny

RECEIPT

Received Rs. 30,000/- (Rupees thirty thousand only) from M/s Everest Stone Crusher & Granites, Midilakayam, Chemperi towards financial aid for House Repair by Sri. Vinil Mohanan, Udubanatte House, Cheriyari Kamala, Kuniyam Puzha PO, Chemperi Via, Kannur.

Date : 26-09-16

Received by

Place : Chemperi

Vinil Mohanan



Mob : 09496238361

Witness :-

1. Gomgadhanan v ~~G~~

2. Benny KA Benny

RECEIPT

Received Rs. 25,000/- (Rupees twenty five thousand only) from M/s Everest Stone Crusher & Granites, Midilakayam, Chemperi towards financial aid for House Repair by Sri. Santhosh NV, Narikandah House, Kayalampara PO Chemperi Via, Kannur.

Date : 21-10-2014

Received by



Place : Chemperi

Santhosh NV

Witness :-

09446844990

1. Gomgadharan v GJ

2. Benny K A Benny

RECEIPT

Received State Bank of Travancore, Chembery cheque No 190491 dated 08/10/2014 for Rs.30,000/- (Rupees thirty thousand only) from Managing Partner of M/S Everest Stone Crusher & Granites, MT-89-V, Highway Arcade, Thana, Kannur-2 towards financial aid for educational purpose on hearing my grievance on financial difficulties to continue education of my children.

Paid before

1. Sankarendran. K C *Sankar*

2. Sayish Babu. A.K *Sayish*

Received by



Mr. Francis P V
Parathzhath (House)
Kayalmpara (PO)
Chembery-670632
Mob No : 9496595035

Date 10/08/14

ida(may) 9846948131

ANNEXURE 10

EC ADVERTISEMENT IN

NEWS PAPER

8

2017 നവംബർ 30 വ്യാഴം

ജനറൽ

KNR

കാമിക്സ്
നിരണം രാജൻ
നിരണം പി.ഒ, തിരുവല്ല, പത്തനംതിട്ട്

Mob: 98470 31647

Mail : niranam.rajan@yahoo.com

Web: www.niranamrajan.com

- കമ്പ്യൂസംഗ് ചെരിക്കുന്നിലാഭമായി പുന്നുച്ചെരിക്കുന്ന വിഷയം പ്രാശ്നം.
- 15000 വാട്ട് വൈദ്ധ, 8000 വാട്ട് സംശ്ലേഷണം.



ഉടൻ അട്ടേ

ജ്യോതിഷ്, താറ്റിക്,
മാന്ത്രിക കർമ്മങ്ങളും
നിങ്ങളുടെ ഏല്ലാവിജ്ഞാനങ്ങൾക്കും
ജാതകം, ഏല്ലാവിജ്ഞാനങ്ങൾക്കും
സേരിട്ടും തപാലിട്ടും

സ്കൂള്

(ഇത്തരക്കാണ്ഡിമം)

തിയിൽ

ബഹുമാനിക്കുന്ന കാളിഭാസ് മെഡിക്സ്

ബാബു

പന്ത്രണ്ട് 695501

050166

ബഹുമാനിക്കുന്ന
സ്കൂള്

PUBLIC NOTICE

This is to inform the general public that the proposed quarry project at Sy No 4 (P) in Eruvessi Village, Thaliparamba Taluk, Kannur Dist, Kerala being developed by M/s Everest Stone Crusher & Granites, MT-89-V, Highway Arcade, Kannur-2 is accorded with environmental clearance by State Environment Impact Assessment Authority, Kerala vide their order No 709/SEIAA/KL/5786/2014 dated 21-11-2017. A copy of environmental clearance is available with the office of the Department of State Environment Impact Assessment Authority and may be seen on the website of the Authority www.seiaa.kerala.org

Sd/-

For Everest Stone
Crusher & Granites

Eruvessi, 30-11-2017

രിഞ്ച് (R
2789) ക
സിൽത്തിര
ബുക്ക് തി
നങ്ങംജൈ
ആയതിന
ഡ്യൂഡി ഫേ
ക്കാൻ തീ
ണ്. ആയു
ഈപരസ്യ
സത്തിന
വിലാസം
ആർട്ടിക്ക
ഷാറ്റിന്

30-11-201

കണ്ണൂർ

6.00 ടി

ifieds

am. Phone: 0497 2746023. Fax: 0497-747048

പൊതുജനരഹ്യക്കീ

കല്ലുർ ജില്ലയിൽ തളിപ്പിന്പ താലുക്കിൽ ഏരുവേള്ളി വി ല്ലേജിൽ സർവ്വേ നമ്പർ 4-ൽ പെട്ട സ്ഥലത്ത് ഒരു കൂറി പ്രവർത്തനം തുടങ്ങുന്നതിന് എവിന്റെ സ്വീകാര്യം ക്രഷ്ണ & ശ്രീ കെന്ദ്രസ് രജിസ്ട്രേഷൻ ഓഫീസ് MT- 89 - V, ഹൈവേ ആർ കോഡ്, കല്ലുർ - 2 എന്ന സ്ഥലപന്ഥം പ്രോപ്പോസ് ചെയ്തത് സ്വീകാര്യം ഇംപാക്ക് അസംസ്ഥേ അതോറിറ്റി (SEIAA) 21.11.2017 എന്ന തീയതിയിൽ നമ്പർ 709/SEIAA/KL/5786/2014 ആയി ഉത്തരവ് നൽകിയിട്ടുണ്ട്. ആയതിന്റെ കൊപ്പി SEIAA വകുപ്പിന്റെ ഓഫീസിൽ ലഭ്യമാണ്. കുടംബത്തെ SEIAAയുടെ വെബ്സൈറ്റ് ആയ www.seiaa.kerla.org ലും ലഭ്യമാണ്.

(കൊപ്പി) ജനറൽ മാനേജർ
എവിന്റെ സ്വീകാര്യം ക്രഷ്ണ & ശ്രീകെന്ദ്രസ്

കേരള സംസ്ഥാന
രജിസ്ട്രേഷൻ

ഡാഫൻ
670 643.